

PDL2 Dock Light



Integrated LED Technology

Model Numbers

24" Integrated LED Loading Dock Arm
PDL2-SA-IL-24




36" Integrated LED Loading Dock Arm
PDL2-SA-IL-36



40" Integrated LED Loading Dock Arm
PDL2-DA-IL-40



48" Integrated LED Loading Dock Arm
PDL2-DA-IL-48



60" Integrated LED Loading Dock Arm
PDL2-DA-IL-60



Integrated LEDs are built into the dock arm —no light head required!



Made in USA  Patented Design






Specifications

Wattage	13.4W
Power Source	120V,60Hz
Lumens	1331
Beam Angle	10°
CRI	≥75
CCT	5000K
Life	100,000hoursat 70% lumen maintenance
Compliances	cULus listed, LM79report available upon request
Warranty	3years

Single Arm Lengths



Double Arm Lengths



Model	A	B	C	D	Accessories
PDL2-SA-IL-24 (24" Single Arm)	24 in (610 mm)	N/A	8.5 in (216 mm)	8.5 in (216 mm)	N/A
PDL2-SA-IL-36 (36" Single Arm)	36 in (915 mm)	N/A	8.5 in (216 mm)	8.5 in (216 mm)	N/A
PDL2-DA-IL-40 (40" Double Arm)	40 in (1016 mm)	24 in (610 mm)	8.5 in (216 mm)	8.5 in (216 mm)	N/A
PDL2-DA-IL-48 (48" Double Arm)	48 in (1219 mm)	24 in (610 mm)	8.5 in (216 mm)	8.5 in (216 mm)	N/A
PDL2-DA-IL-60 (60" Double Arm)	60 in (1524 mm)	36 in (915 mm)	8.5 in (216 mm)	8.5 in (216 mm)	N/A

Model Numbers *Arm & Head Selection Required for Full Fixture*

24" Loading Dock Arm
PDL2-SA-24



Heavy Duty LED Light Head
HDL2 (no switch)
HDL2-S (switch)

36" Loading Dock Arm
PDL2-SA-36



Polycarbonate LED Light Head
PL2 (no switch)
PL2-S (switch)

40" Loading Dock Arm
PDL2-DA-40



3-Speed Fan
DLFAN

48" Loading Dock Arm
PDL2-DA-48



60" Loading Dock Arm
PDL2-DA-60





Specifications




Wattage	13.4W
Power Source	120V,60Hz
Lumens	1331
Beam Angle	10°
CRI	≥75
CCT	5000K
Life	100,000 hours at 70% lumen maintenance
Material	Cast aluminum (HDL2, HDL2-S); Polycarbonate (PL2, PL2-S)
Compliances	cULus listed, IP66 rated (HDL2), LM79 report available upon request
Warranty	3years

Made in USA  Patented Design

Single Arm Lengths



Double Arm Lengths



Model	A	B	C	D	Accessories
PDL2-SA-24 (24" Single Arm)	24 in (610 mm)	N/A	8.5 in (216 mm)	8.5 in (216 mm)	HDL2, HDL2-S, PL2, PL2-S, DLFAN
PDL2-SA-36 (36" Single Arm)	36 in (915 mm)	N/A	8.5 in (216 mm)	8.5 in (216 mm)	HDL2, HDL2-S, PL2, PL2-S, DLFAN
PDL2-DA-40 (40" Double Arm)	40 in (1016 mm)	24 in (610 mm)	8.5 in (216 mm)	8.5 in (216 mm)	HDL2, HDL2-S, PL2, PL2-S, DLFAN
PDL2-DA-48 (48" Double Arm)	48 in (1219 mm)	24 in (610 mm)	8.5 in (216 mm)	8.5 in (216 mm)	HDL2, HDL2-S, PL2, PL2-S, DLFAN
PDL2-DA-60 (60" Double Arm)	60 in (1524 mm)	36 in (915 mm)	8.5 in (216 mm)	8.5 in (216 mm)	HDL2, HDL2-S, PL2, PL2-S, DLFAN